


Regulation of nuclear epigenome by mitochondrial DNA heteroplasmy

Piotr K. Kopinski^{a,b,c}, Kevin A. Janssen^{d,e}, Patrick M. Schaefer^c, Sophie Trefely^{f,g}, Caroline E. Perry^c, Prasanth Pottluri^c, Jesus A. Tintos-Hernandez^c, Larry N. Singh^c, Kelly R. Karch^{d,e}, Sydney L. Campbell^f, Mary T. Doan^g, Helen Jiang^g, Itzhak Nissim^e, Eiko Nakamaru-Ogiso^e, Kathryn E. Wellen^f, Nathaniel W. Snyder^g, Benjamin A. Garcia^{d,e}, and Douglas C. Wallace^{c,h,1}





... (. . . , 50% 80% .3243
(. . .)
(. . .) (A , . . . 1).

4 14% 0%
A 21% 5 (2J

13
α (. 2)
3 9 (. 2L)
α

100% (A , . 4 C,
B L)

(16)
0% 60% 90% 100% 70%

(. 3 A B)
0% 70% 90% 100% 3243
3C) 70% 4 90% 100%

(. 3 D E)
100% 3243
(A , . 6B)
(A , . 7)

0% 20% 60%
(. 4 A B)
3393()19. .243 . 3.8()5.1(-)1.6(-)13.8()10.9(-)13.8(-)3(-)382 ,, 3 551.1128 ()-328.7(. 9 339)-33

S

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88

88



000
()
()

H e E , a c a d W e , e B , A a
()
0
1
0
1
10
1x
() 0.1% 4 0 ()
-00
4
0
11,000
10
100%
11,000
10
1
0.1%